For each primary disability, these treating health professionals are the most appropriate to provide the standardised assessments that are considered "best practice" in evidence.

Primary disability - Acquired brain injury

## Treating health professional

Any member of a multidisciplinary team:

• ABI health professionals.

## **Disability evidence (in preference order)**

- 1. Care and need scale (CANS) (17 years and over)
- 2. World Health Organisation disability assessment schedule (WHODAS) 2.0 (17 years and over) or PEDI-CAT (16 years and under).

Primary disability - Autism

## Treating health professional

Any member of a multidisciplinary team:

- Psychologist
- Occupational Therapist
- Speech Therapist.

## **Disability evidence (in preference order)**

- 1. Diagnostic and statistical manual of mental disorders, fifth edition (DSM-V)
- 2. Vineland adaptive behavior scale (Vineland-II)
- 3. World Health Organisation disability assessment schedule (WHODAS) 2.0 (17 years and over) or



4. PEDI-CAT (16 years and under).

Primary disability - Cerebral palsy

#### Treating health professional

- Occupational Therapist
- Physical Therapist
- Pediatrician
- Physiotherapist.

#### **Disability evidence (in preference order)**

- 1. Gross motor functional classification scale (GMFCS)
- 2. Other: Manual ability classification scale (MACS)
- 3. Other: Communication function classification system (CFCS).

#### Primary disability - Hearing impairment

#### Treating health professional

• Audiologist.

#### **Disability evidence (in preference order)**

- 1. Hearing impairment responses and groupings guide (17 years and over) or,
- 2. PEDI-CAT (16 years and under)
- 3. Other: Hearing acuity score.

Primary disability - Intellectual disability, Developmental delay, Global developmental delay, Down syndrome



#### Treating health professional

- Psychologist
- Occupational Therapist
- Speech Therapist.

#### **Disability evidence (in preference order)**

- 1. Diagnostic and statistical manual of mental disorders, fifth edition (DSM-V)
- 2. Vineland adaptive behavior scale (Vineland-II)
- 3. World Health Organisation disability assessment schedule (WHODAS) 2.0 (17 years and over) or PEDI-CAT (16 years and under).

Primary disability - Multiple Sclerosis

## Treating health professional

- Neurologist
- Disease steps trained Nurse examiner.

#### **Disability evidence (in preference order)**

- 1. Disease steps
- 2. Patient determined disease steps (PDDS)
- 3. Other: Expanded disability status scale (EDSS).

#### Primary disability - Psychosocial disability

## Treating health professional

- Psychiatrist
- General Practitioner (GP)
- Psychologist (in limited circumstances).



# Other specialist health professionals who can provide evidence:

- Clinical Psychiatric staff (eg. Mental health/Psychiatric nurses, Occupational Therapists, Social Workers)
- Mental Health Allied Health Professionals
- Australian Mental Health Outcomes and Classification Network (AMHOCN) trained mental health staff (including Mental Health Peer Workers).

## **Disability evidence**

A statement from a treating health professional, including information about:

- how long they have been working with you
- evidence of the mental health condition, a diagnosis is helpful if available
- treatments you have explored and any you have not tried (with reasoning)
- how your mental health condition impacts on your everyday life (a functional assessment may be helpful).

## Functional assessments (in order of preference):

These can be provided by a treating health professional or other people as listed above:

- 1. Life Skills Profile 16 measure (LSP-16)
- 2. Health of the Nation Outcomes Scale (HoNOS)
- 3. World Health Organisation Disability Assessment Scale (WHODAS).

Find out more about providing supporting evidence on the <u>Psychosocial disability</u> page.

#### Primary disability - Spinal cord injury

## Treating health professional

Any member of a multidisciplinary team:

- Neurologist
- Physiotherapist
- Occupational Therapist



- Recreational Therapist
- Psychologist
- Psychiatrist.

## **Disability evidence (in preference order)**

- 1. Level of lesion, or
- 2. American spinal injury association impairment scale (ASIA/AIS)
- 3. World Health Organisation disability assessment schedule (WHODAS) 2.0 (17 years and over) or
- 4. PEDI-CAT (16 years and under).

#### **Primary disability - Stroke**

## Treating health professional

Any member of a multidisciplinary team

Neurologist.

## **Disability evidence (in preference order)**

1. Modified Rankin Scale (mRS).

Primary disability - Vision impairment

## Treating health professional

• Ophthalmologist.

## **Disability evidence (in preference order)**

- 1. Vision impairment questionnaire (17 years and over) or
- 2. PEDI-CAT (16 years and under)
- 3. Other: Visual acuity rating.



Primary disability - Other

## Treating health professional

- Occupational Therapist
- Speech Therapist
- Physiotherapist
- Social Worker.

## **Disability evidence (in preference order)**

- 1. World Health Organization disability assessment schedule
- 2. (WHODAS) 2.0 (17 years and over)
- 3. PEDI-CAT (16 years and under).

For some disabilities, information about impact on functionality may not be required. These disabilities are listed in the <u>Operational Guidelines</u>.

#### **Return to Information to support your request**

This page current as of 9 May 2024

For each primary disability, these treating health professionals are the most appropriate to provide the standardised assessments that are considered "best practice" in evidence.

Primary disability - Acquired brain injury

Treating health professional



Any member of a multidisciplinary team:

• ABI health professionals.

## **Disability evidence (in preference order)**

- 1. Care and need scale (CANS) (17 years and over)
- 2. World Health Organisation disability assessment schedule (WHODAS) 2.0 (17 years and over) or PEDI-CAT (16 years and under).

#### Primary disability - Autism

## Treating health professional

Any member of a multidisciplinary team:

- Psychologist
- Occupational Therapist
- Speech Therapist.

#### **Disability evidence (in preference order)**

- 1. Diagnostic and statistical manual of mental disorders, fifth edition (DSM-V)
- 2. Vineland adaptive behavior scale (Vineland-II)
- 3. World Health Organisation disability assessment schedule (WHODAS) 2.0 (17 years and over) or
- 4. PEDI-CAT (16 years and under).

#### Primary disability - Cerebral palsy

## Treating health professional

- Occupational Therapist
- Physical Therapist
- Pediatrician
- Physiotherapist.



## Disability evidence (in preference order)

- 1. Gross motor functional classification scale (GMFCS)
- 2. Other: Manual ability classification scale (MACS)
- 3. Other: Communication function classification system (CFCS).

#### Primary disability - Hearing impairment

## Treating health professional

• Audiologist.

#### **Disability evidence (in preference order)**

- 1. Hearing impairment responses and groupings guide (17 years and over) or,
- 2. PEDI-CAT (16 years and under)
- 3. Other: Hearing acuity score.

## Primary disability - Intellectual disability, Developmental delay, Global developmental delay, Down syndrome

#### Treating health professional

- Psychologist
- Occupational Therapist
- Speech Therapist.

#### **Disability evidence (in preference order)**

- 1. Diagnostic and statistical manual of mental disorders, fifth edition (DSM-V)
- 2. Vineland adaptive behavior scale (Vineland-II)
- 3. World Health Organisation disability assessment schedule (WHODAS) 2.0 (17 years and over) or PEDI-CAT (16 years and under).

#### Primary disability - Multiple Sclerosis



## Treating health professional

- Neurologist
- Disease steps trained Nurse examiner.

## **Disability evidence (in preference order)**

- 1. Disease steps
- 2. Patient determined disease steps (PDDS)
- 3. Other: Expanded disability status scale (EDSS).

#### Primary disability - Psychosocial disability

## Treating health professional

- Psychiatrist
- General Practitioner (GP)
- Psychologist (in limited circumstances).

## Other specialist health professionals who can provide evidence:

- Clinical Psychiatric staff (eg. Mental health/Psychiatric nurses, Occupational Therapists, Social Workers)
- Mental Health Allied Health Professionals
- Australian Mental Health Outcomes and Classification Network (AMHOCN) trained mental health staff (including Mental Health Peer Workers).

#### **Disability evidence**

A statement from a treating health professional, including information about:

- how long they have been working with you
- evidence of the mental health condition, a diagnosis is helpful if available
- treatments you have explored and any you have not tried (with reasoning)
- how your mental health condition impacts on your everyday life (a functional assessment may be helpful).



#### Functional assessments (in order of preference):

These can be provided by a treating health professional or other people as listed above:

- 1. Life Skills Profile 16 measure (LSP-16)
- 2. Health of the Nation Outcomes Scale (HoNOS)
- 3. World Health Organisation Disability Assessment Scale (WHODAS).

Find out more about providing supporting evidence on the <u>Psychosocial disability</u> page.

Primary disability - Spinal cord injury

## Treating health professional

Any member of a multidisciplinary team:

- Neurologist
- Physiotherapist
- Occupational Therapist
- Recreational Therapist
- Psychologist
- Psychiatrist.

#### **Disability evidence (in preference order)**

- 1. Level of lesion, or
- 2. American spinal injury association impairment scale (ASIA/AIS)
- 3. World Health Organisation disability assessment schedule (WHODAS) 2.0 (17 years and over) or
- 4. PEDI-CAT (16 years and under).

#### **Primary disability - Stroke**

## Treating health professional

Any member of a multidisciplinary team

• Neurologist.



## **Disability evidence (in preference order)**

1. Modified Rankin Scale (mRS).

#### Primary disability - Vision impairment

## Treating health professional

• Ophthalmologist.

## **Disability evidence (in preference order)**

- 1. Vision impairment questionnaire (17 years and over) or
- 2. PEDI-CAT (16 years and under)
- 3. Other: Visual acuity rating.

#### Primary disability - Other

## Treating health professional

- Occupational Therapist
- Speech Therapist
- Physiotherapist
- Social Worker.

## Disability evidence (in preference order)

- 1. World Health Organization disability assessment schedule
- 2. (WHODAS) 2.0 (17 years and over)
- 3. PEDI-CAT (16 years and under).

For some disabilities, information about impact on functionality may not be required. These disabilities are listed in the <u>Operational Guidelines</u>.

## **Return to Information to support your request**

This page current as of



9 May 2024

